

To:

John Fortman

Attn: District One

From:

John D. Baranzelli

Subject:

Pavement Design

Date: \_\_ - December 18, 2012

Des Plaines River Road Section 1213 & 3222 R Cook County

From 0.4 miles north of Touhy Avenue to US 12 (Rand Road)

We have reviewed the pavement design for the above captioned section, which was submitted to BDE on October 12, 2012. Life cycle costs favor the rigid design by more than 10%. Oakton Street, Algonquin Road, US 14 (Miner/Dempster Street), Elk Boulevard and US 12 (Rand Road) are short sections of intersecting roads that will match the Des Plaines River Road pavement design. Lee Street is under the jurisdiction of the City of Des Plaines, and will match Des Plaines River Road per the city's request.

The approved pavement design is as follows:

Des Plaines River Road [Reconstruction]

Oakton Street, Algonquin Road, US 14 (Miner/Dempster Street), Elk Boulevard, US 12 (Rand Road) and Lee Road [Reconstruction]

9 inches of Jointed PCC with tied PCC Curb and Gutter 12 inches of Aggregate Subgrade Improvement

US 14 (Miner/Dempster Street), Busse Highway [Widening]

10.25 inches of Full-Depth HMA Pavement

1.75 inches HMA Polymerized Surface Course, Mix "F", N90

0.75 inches HMA Polymerized Leveling Binder Machine Method, IL-4.75, N50

7.75 inches HMA Binder Course, IL-19.0, N90

12 inches Aggregate Subgrade Improvement

# US 14 (Miner/Dempster Street), Busse Highway) [Resurfacing]

- 2.25 inches of Full-Depth HMA Pavement Removal
  - 1.75 inches HMA Polymerized Surface Course, Mix "F", N90
  - 0.75 inches HMA Polymerized Leveling Binder Machine Method, IL-4.75, N50

# US 12 (Rand Road)[Widening]

- 11 inches of Full-Depth HMA Pavement
  - 1.75 inches HMA Polymerized Surface Course, Mix "F", N90
  - 0.75 inches HMA Polymerized Leveling Binder Machine Method, IL-4.75, N50
  - 8.5 inches HMA Binder Course, IL-19.0, N90
- 12 inches Aggregate Subgrade Improvement

# US 12 (Rand Road)[Resurfacing]

- 2,25 inches of Full-Depth HMA Pavement Removal
  - 1.75 inches HMA Polymerized Surface Course, Mix "F", N90
  - 0.75 inches HMA Polymerized Leveling Binder Machine Method, IL-4.75, N50

# Des Plaines River Road [Temporary Pavement]

# Option 1

- 10 inches of Full-Depth HMA Pavement
  - 2 inches HMA Surface Course, Mix "D", N50
- 8 inches HMA Binder Course, IL-19.0, N50
- 4 inches Aggregate Subgrade Improvement

# Option 2

- 8 inches of Temporary PCC
- 4 inches of Aggregate Subgrade Improvement

If you have any questions, please contact Paul Niedernhofer at (217) 524-1651.

To:

John D. Baranzelli

Attn:

Paul Niedernhofer

From:

John Fortmann

By:

Jose Dominguez

Subject:

Pavement Analysis\*

Date:

October 12, 2012

\*Route: Des Plaines River Road

Section: 1213 & 3222 R

Limits: 0.4 miles N. of Touhy Avenue to US-12 (Rand Road) County: Cook

Contract No.: 62267

Job No.: D-91-285-01

Letting: 03CY13

We have completed the pavement analysis for the above captioned location. Review by the Central Office is required since the total pavement area for reconstruction exceeds 4,750 Square Yards. Upon completing the reconstruction of Des Plaines River Road there will be a Jurisdictional Transfer for its' maintenance from the State of Illinois to the City of Des Plaines. The following is the scope of the project:

- a.) Reconstruction of Des Plaines River Road from 0.4 miles N. of Touhy Avenue to US-12 (Rand Road) for approximately 14,195 feet.
- b.) Reconstruction of Oakton Street, Algonquin Road, US-14 (Miner/Dempster Street). Elk Boulevard, and US-12 (Rand Road) at the intersections of Des Plaines River Road.
- c.) Widening and resurfacing of US-14 (Miner/Dempster Street) at Des Plaines River Road to add a single right-turn lane and of Busse Highway at US-14 for a larger turning radius.
- d.) New construction of Lee Street to end at Harding Avenue thus rerouting US-12/45 along Elk Boulevard to Des Plaines River Road.
- e.) Resurfacing of US-12 (Rand Road) from Station 915+54 to 916+00 and reconstruction from Station 916+00 to 916+67 and 922+64 to 923+00.
- f.) Temporary Pavement to partially maintain 1 lane of traffic in a single direction throughout the length of Des Plaines River Road for a total service life up to 2.5 years.

Paul Niedernhofer October 12, 2012 Page 2

A 20 year pavement analysis was performed on the Des Plaines River Road segment. We recommend a mechanistic-rigid pavement design based on the life cycle cost analysis which favors PCC pavement by 25.7%.

# a.) Des Plaines River Road

Pavement Reconstruction
Tied PCC Curb and Gutter
9" PCC Pavement Jointed 1
12" Aggregate Subgrade Improvement 2

A segmental pavement analysis was performed at Oakton Street, Algonquin Road, US-14 (Miner/Dempster Street), Elk Boulevard, and US-12 (Rand Road). We recommend that these intersecting streets match the proposed pavement design of Des Plaines River Road due to their short lengths of reconstruction as to maintain continuity.

# b.) Oakton Street, Algonquin Road, US-14 (Miner/Dempster Street), Elk Boulevard, US-12 (Rand Road)\*\*

\*\*Oakton Street, Algonquin Road, US-14 (Miner/Dempster Street), Elk Boulevard, and US-12 (Rand Road) are "High Stress" intersections since the design lane MU ADT exceeds 200 vehicles. District 1 recommends rigid pavement at "High Stress" intersections to be built at a minimum 150 feet back from the location of the stop bar.

Pavement Reconstruction
Tied PCC Curb and Gutter
9" PCC Pavement Jointed 1
12" Aggregate Subgrade Improvement 2

A 20 year pavement analysis was performed on US-14 (Miner/Dempster Street) at Des Plaines River Road and on Busse Highway at US-14. We recommend a mechanistic-flexible pavement design based on a first cost analysis.

# c.) US-14 (Miner/Dempster Street), Busse Highway

Pavement Widening
Tied PCC Curb and Gutter
10 ¼" Full-Depth HMA Pavement
1 ¾" HMA Polymerized Surface Course, Mix "F", N90 <sup>3,7</sup>
¾" HMA Polymerized Leveling Binder Machine Method, IL-4.75, N50 <sup>4,7</sup>
7 ¾" HMA Binder Course, IL-19.0, N90 <sup>5,7</sup>
12" Aggregate Subgrade Improvement <sup>2</sup>

Existing Pavement Resurfacing

2 ½" HMA Pavement Surface Removal
1 ¾" HMA Polymerized Surface Course, Mix "F", N90 3.7
¾" HMA Polymerized Leveling Binder Machine Method, IL-4.75, N50 4.7

Paul Niedernhofer October 12, 2012 Page 3

A segmental pavement analysis was performed for the new construction at Lee Street. We recommend that it match the pavement design of Des Plaines River Road per the City of Des Plaines request as well as for construction continuity.

# d.) Lee Street

Pavement Reconstruction
Tied PCC Curb and Gutter
9" PCC Pavement Jointed 1
12" Aggregate Subgrade Improvement 2

A 20 year pavement analysis was performed on the Rand Road construction limits adjacent to Des Plaines River Road. We recommend a mechanistically designed flexible pavement design to transition the existing cross-slope to the proposed rigid pavement.

# e.) US-12 (Rand Road)

```
Existing Pavement Resurfacing from Station 915+54 to 916+00
2 ½" HMA Pavement Surface Removal
1 ¾" HMA Polymerized Surface Course, Mix "F", N90 3,7
¾" HMA Polymerized Leveling Binder Machine Method, IL-4.75, N50 4,7

Pavement Reconstruction from Station 916+00 to 916+67 and 922+64 to 923+00
Tied PCC Curb and Gutter
11" Full-Depth HMA Pavement
1 ¾" HMA Polymerized Surface Course, Mix "F", N90 3,7
¾" HMA Polymerized Leveling Binder Machine Method, IL-4.75, N50 4,7
8 ½" HMA Binder Course, IL-19.0, N90 6,7
12" Aggregate Subgrade Improvement 2
```

# f.) Des Plaines River Road - Temporary Pavement

```
Option 1) <sup>8</sup>
Temporary Pavement

10" Full Depth Temporary HMA Pavement <sup>9</sup>
2" HMA Surface Course, Mix "D", N50 <sup>7</sup>
8" HMA Binder Course, IL-19.0, N50 <sup>7</sup>
4" Aggregate Subgrade Improvement <sup>10</sup>

Option 2) <sup>8</sup>
Temporary Pavement
8" Temporary PCC Pavement <sup>9</sup>
4" Aggregate Subgrade Improvement <sup>10</sup>
```

We recommend that all local intersecting side streets not named in this memo follow the pavement design for Des Plaines River Road due to their short length and for construction continuity. These intersecting side streets are subject to local jurisdictional approval and concurrence.

Paul Niedernhofer October 12, 2012 Page 4

- <sup>1</sup> Designer Note 1: Use pay item #42000401, "PORTLAND CEMENT CONCRETE PAVEMENT, 9" (JOINTED)", paid in square yards. Transverse contraction joints should be reduced to a maximum of 14 foot spacing for 9" PCC pavement.
- <sup>2</sup> <u>Designer Note 2:</u> Use pay item **#30300112**, "AGGREGATE SUBGRADE IMPROVEMENT, 12"", paid in square yards.
- <sup>3</sup> Designer Note 3: Use pay item #40603595, "POLYMERIZED HOT-MIX ASPHALT SURFACE COURSE, MIX "F", N90", paid in tons.
- <sup>4</sup> <u>Designer Note 4:</u> Use pay item **#40600827**, "POLYMERIZED LEVELING BINDER (MACHINE METHOD), IL-4.75, N50", paid in tons.
- <sup>5</sup> Designer Note 5: Use pay item #35501315, "HOT-MIX ASPHALT BASE COURSE, 7 3/4"", paid for in square yards.
- <sup>6</sup> Designer Note 6: Use pay item #35501318, "HOT-MIX ASPHALT BASE COURSE, 8 1/2"", paid for in square yards.
- <sup>7</sup> <u>Designer Note 7:</u> Refer to the District One, Bureau of Materials' "Hot-Mix Asphalt Mix Selection" tables to determine the corresponding HMA mix table requirements for the plans.
- <sup>8</sup> <u>Designer Note 8:</u> The contractor shall have the option of constructing either material type if both Portland cement concrete and HMA are shown in the plans. For quantity estimation purposes, excavation quantities should be estimated assuming the thicker design if both options are shown in the plans.
- <sup>9</sup> Designer Note 9: Use pay item **#Z0062456**, "**TEMPORARY PAVEMENT**", paid in square yards.


According to the Special Provision for "Temporary Pavement", HMA temporary pavement shall consist of two items, an HMA binder course and an HMA surface course. Make sure to include both items in the HMA mix table requirements.

When PC Temp Pavement is used as an option, the following note shall appear on the plans adjacent to the HMA mix table: "PC Concrete temporary pavement shall consist of Class PV Concrete meeting the requirements of Art.1020 of the Standard Specifications, 8" thick. Temporary PCC pavement does not require dowel bars."

<sup>10</sup> Designer Note 10: Use pay item #30300104, "AGGREGATE SUBGRADE IMPROVEMENT, 4" ", paid in square yards.

If you have any questions or need additional information, please contact Jenpai Chang, Acting Pavement Design Engineer, at (847)705-4432.

Jose A. Dominguez, P.E. Project Support Engineer



### PROJECT AND TRAFFIC INPUTS (Enter Data in Gray Shaded Cells) Route: FAU 2710 - Des Plaines River Rd Comments: pavement reconstruction - 20 yr design Section: 1213 & 3222 R County: Cook Design Date: 09/05/2012 AK <-- BY Location: Fargo Ave to Rand Rd Modify Date: 09/20/2012 AK <-- BY ADT Year Current: 28,020 2009 Facility Type Other Marked State Route Future: 35,000 2030 # of Lanes = Structural Design Traffic Minimum Actual Actual %of % of ADT in Road Class: ADT ADT Total ADT Design Lane PV = 31,105 95.2% P = Subgrade Support Rating (SSR): SU = 250 S= Poor 1,046 3.2% 45% Construction Year: 2013 MU = 750 523 1.6% 45% M = Design Period (DP) = 20 Struct. Design ADT = 32,673 (2023)years TRAFFIC FACTOR CALCULATION FLEXIBLE PAVEMENT RIGID PAVEMENT Cpv = 0.15 Cpv = 0.15 Csu = 132.5 Csu = 143.81 Cmu = 482.53 Cmu = 696.42 TF flexible (Actual) = 3.55 (Actual ADT) TF rigid (Actual) = 4.66 (Actual ADT) TF flexible (Min) = 3.56 (Min ADT Fig. 54-2.C) TF rigid (Min) = 5.02 (Min ADT Fig. 54-2.C)

	Full-De	pth HMA Pa	vement	JP	C Pavem	ent
	Use TF flexible = PG Grade Lower Binder Lifts =	3.56 PG 64-22	(Fig. 53-4.R)	Use TF rigid = Edge Support =	5.02 Tied	Shoulder or C.&G.
Goto Map	HMA Mixture Temp. = Design HMA Mixture Modulus (E <sub>HMA</sub> ) =	74.0 720	deg. F (Fig. 54-5.C) ksi (Fig. 54-5.D)	Rigid Pavt Thick. =	9.00	in. (Fig. 54-4.E)
	Design HMA Strain ( $\varepsilon_{HMA}$ ) =	84	(Fig. 54-5.E)		CRC Pave	ement
Goto Map	Full Depth HMA Design Thickness = Limiting Strain Criterion Thickness =	10.00 14.50	in. (Fig. 54-5.F) in. (Fig. 54-5.I)	Use TF rigid = IBR value =	5.02 3	
	Use Full-Depth HMA Thickness =	10.00	inches	CRCP Thickness =	8.00	in. (Fig. 54-4.M)
				TF MUST E	BE > 60	FOR CRCP

RECONSTRUCTION ONL	Y (SUPPLEMENTAL) PAVEI	MENT DESIGN CALCULATIONS
HMA Overla	ay of Rubblized PCC	Unbonded Concrete Overlay
Use TF flexible =	3.56	Review 54-4.03 for limitations and
District =	3,4,5,6	special considerations.
HMA Overlay Design Thickness =	8.00 in. (Fig. 54-5.U)	JPCP Thickness = NA inches

	IVOID DDI	E MANUAL C		VT - LAV	-WENT	DESIGN		_
Class I Roads		Class II Roads		С	lass III Road	ds	Class IV	/ Ro
4 lanes or more Part of a future 4 lanes or more One-way Streets with ADT > 3500	2 lanes with ADT > 2000 One way Street with ADT <= 3500		(A	2 Lanes DT 750 -200	00)	2 La (ADT <		
	Min. Str.	Design Traffic (Fig	54-2.C)			Class T	Table for	
Facility Type	PV	SU	MU			One-Wa	y Streets	
Interstate or Supplemental Freeway	0	500	1500			ADT	Class	
Other Marked State Route	0	250	750			0 - 3500	=	
Unmarked State Route	No Min	No Min	No Min			>3501	1	
Class		raffic Factor ESAI Fig. 54-4.C) Cmu		ig. 54-5.B) Cmu		2 or 3	Table for 3 lanes	
Class						0.0000000000000000000000000000000000000	e 4 lane &	
	143.81 135.78	696.42 567.21	132.50 112.06	482.53 385.44		ADT	vay street)	
l "	129.58					0 - 749	Class	
III IV	129.58	562.47 562.47	109.14 109.14	384.35 384.35		750 - 2000	IV	
TO THE RESIDENCE OF THE PARTY O	129.56	302.47	109.14	304.33		>2000	III II	
			A CONTRACTOR OF THE PARTY OF TH			-2000	"	
	Design L	ane Distribution Fa	ctors For Stru	ıctural Desigi	THE RESERVE OF THE PARTY OF THE	. 54-2.B)		
		Rural			Urban			
Number of Lanes	Р	S	M	Р	S	M		
1 Lane Ramp	100%	100%	100%	100%	100%	100%		
2 or 3	50%	50%	50%	50%	50%	50%		
4	32%	45%	45%	32%	45%	45%		
6 or more	20%	40%	40%	8%	37%	37%		

# LIFE-CYCLE COST ANALYSIS: NEW CONSTRUCTION / RECONSTRUCTION

# FULL-DEPTH HMA PAVEMENT

Standard Design

			•
ROUTE FAU 27 SECTION COUNTY LOCATION	710 - Des Plaines River Rd 1213 & 3222 R Cook Fargo Ave to Rand Rd		MAINT
FACILITY TYPE	NON-INTERSTATE		
PROJECT LENGTH # OF CENTERLINES # OF LANES # OF EDGES LANE WIDTH - AVERAGE SHOULDER WIDTH HMA Inside HMA Outside	14195 FT ==> 3 CL 4 LANES 3 EP 10.5 FT 0 FT 0 FT	2.69 Miles	
PAVEMENT THICKNESS (FLEXIBLE) SHOULDER THICKNESS POLICY OVERLAY THICKNESS	10.00 IN 8.00 IN 2.25 IN	14.50 IN MAX HMA_SD Standard Des	ign
FLEX PAVEMENT TRAFFIC FACTORS	MINIMUM	ACTUAL	USE
	3.56	3.55	3.56
HMA COST PER TON		UNIT PRICE	Read Me!
HMA SURFACE HMA TOP BINDER HMA LOWER BINDER HMA BINDER (LEVELING) HMA SHOULDER		\$95.00 /TON \$90.00 /TON \$85.00 /TON \$95.00 /TON \$85.00 /TON	
INITIAL COSTS ITEM THICKNESS	5 100% QUANTITY UNIT	UNIT PRICE	COST
-			
HMA PAVEMENT (FULL-DEPTH) (10.00"	) 68337 68,337 SQYD *	\$50.79 / SQ YD	\$0
HMA SURFACE COURSE (2.00" HMA TOP BINDER COURSE (2.25" HMA LOWER BINDER COURSE (5.75"	1.0185 68,337 SQ YD *	\$9.86 /SQYD	,010,021 ~ .6673,803 ~ .508,881 ~
HMA SHOULDER (8.00"		\$38.08 / SQ YD	\$0 ~
CURB & GUTTER	0 LIN FT	\$30.00 /LIN FT	\$0
SUBBASE GRAN MATL TY C (TONS) IMPROVED SUBGRADE:  Aggregati	224 TONS 68,337 SQ YD *	\$25.00 / TON \$10.00 / SQ YD	\$5,600 6683,370
Reserved For User Supplied Item Reserved For User Supplied Item	0 SQ YD 0 SQ YD	\$0.00 /SQ YD \$0.00 /SQ YD	\$0 \$0
PAVEMENT REMOVAL SHOULDER REMOVAL	66,243 SQ YD 0 SQ YD	\$0.00 / SQ YD \$0.00 / SQ YD	\$0 \$0
Note: * Denotes User Supplied Quantity	FLEXIBLE CONSTRUCTION		,881,675
MAINTENANCE COSTS:	EXIBLE CONSTRUCTION ANNUAL C		\$58,887
THICKNESS	MATERIAL DEPTH	UNIT COST	
ROUTINE MAINTENANCE ACTIVITY	A CONTRACTOR OF THE CONTRACTOR	\$0.00 LANE-MILE / YE	MIS
HMA OVERLAY PVMT SURF (2.00" HMA OVERLAY PVMT (2.25"	2.25	\$14.78 / SQ YD \$16.63 / SQ YD	
HMA SURFACE MIX (1.75" HMA BINDER MIX (0.50"		\$11.09 / SQ YD \$5.54 / SQ YD	
HMA OVERLAY SHLD (Year 30) (2.25" HMA OVERLAY SHLD (2.00"	) (HMA SHLD MIX.) 2.25	\$16.63 /SQYD \$14.78 /SQYD	
MILLING (2.00 IN)		\$2.50 / SQ YD	
PARTIAL DEPTH PVMT PATCH PARTIAL DEPTH SHLD PATCH (Mill & Fill Sur		\$90.83 /SQYD \$89.71 /SQYD	
PARTIAL DEPTH PVMT PATCH (Mill & Fill +2.00 PARTIAL DEPTH SHLD PATCH (Mill & Fill +2.00		\$90.83 / SQ YD \$89.71 / SQ YD	
LONGITUDINAL SHOULDER JOINT ROUT & SEAL CENTERLINE JOINT ROUT & SEAL RANDOM / THERMAL CRACK ROUT & SEAL	(100% Rehab = 110.00' / Station / Lane)	\$2.00 /LIN FT \$2.00 /LIN FT \$2.00 /LIN FT	

PCC PAVEMENT JPCP

ROUTE SECTION COUNTY LOCATION	FAU 2710	12	nes River Rd 213 & 3222 R Cook e to Rand Rd					
FACILITY TYPE		NON-II	NTERSTATE					
PROJECT LENGTH # OF CENTERLINES # OF LANES # OF EDGES LANE WIDTH - AVERAGE SHOULDER WIDTH PCC PCC	Inside Outside		3 4 3 10.5 0	FT =: CL LANES EP FT FT FT		2.69 N	files	
PAVEMENT THICKNESS (RIGID) SHOULDER THICKNESS		JPCP	9.00 10.00			TIED SHLD		
POLICY OVERLAY THICKNESS			2.50	IN				
RIGID PAVEMENT TRAFFIC FAC	TORS		MINIMUM			ACTUAL		USE
Worksheet Construction Type is	Reconstruction		5.02		Pav	4.66 vement Type is		JPCP
INITIAL COSTS ITEM	THICKNESS	100%	6 QUANTITY	UNIT		UNIT PRICE		COST
JPC PAVEMENT	( 9.00" )		68,337	SQ YD	*	\$43.21 /	SQ YD	\$2,952,842
PAVEMENT REINFORCEMENT STABILIZED SUBBASE	(4.00")		0 73,341	SQ YD SQ YD		\$22.00 / \$0.00 /		\$0 \$0
PCC SHOULDERS (1 CURB & GUTTER	0.00" to 10.00")			SQ YD LIN FT	*	\$40.00 / \$30.00 /		\$0 \$0
SUBBASE GRAN MATL TY C IMPROVED SUBGRADE:	#DIV/0! Aggregate		224 68,337	TONS SQ YD	*	\$25.00 / \$10.00 /		\$5,600 \$683,370
Reserved For User Supplied Item Reserved For User Supplied Item			0			\$0.00 \$0.00		\$0 \$0
PAVEMENT REMOVAL SHOULDER REMOVAL			66,243 23,658			\$0.00 / \$0.00 /		\$0 \$0
Note: * Denotes User Supplied Qua		RIGID CON				I INITIAL COST OST PER MILE		\$3,641,812 \$55,248
MAINTENANCE COSTS:								
ITEM	THICKNESS		MATERIAL	DEPTH	_	UNIT COST		
ROUTINE MAINTENANCE ACTIVIT	Y					\$0.00 /	LANE-MIL	E/YEAR
HMA POLICY OVERLAY	(2.50")			2.50		040 40		
HMA POLICY OVERLAY PVMT HMA SURFACE MIX	( 2.50" ) ( 1.75" )	Н	MA Surface Mix	2.50		\$18.48 / \$11.09 /		
HMA BINDER MIX	(0.75")		eling Binder Mix	0.75	5	\$7.39 /	SQ YD	
HMA POLICY OVERLAY SHLD	( 2.50" )			2.50		\$18.48 /		
CLASS A PAVEMENT PATCHING CLASS B PAVEMENT PATCHING						\$170.00 / \$130.00 /		
CLASS C SHOULDER PATCHING						\$110.00 /		
PARTIAL DEPTH PVMT PATCH (M PARTIAL DEPTH PVMT PATCH (M			SURFACE MIX )			\$89.50 / \$93.49 /		
LONGITUDINAL SHOULDER JOINT	ROUT & SEAL					\$2.00 /		
CENTERLINE JOINT ROUT & SEAL REFLECTIVE TRANSVERSE CRAC						\$2.00 / \$2.00 /		
RANDOM CRACK ROUT & SEAL		ehab = 100.00'	/ Station / Lane)			\$2.00 /		

MAINTE

# FULL-DEPTH HMA PAVEMENT HMA OVERLAY OF RUBBLIZED PCC PAVEMENT Figure 54-7.C STANDARD DESIGN

MAINTENANCE	COSTS:	ITEM		%	QUANTITY	UNIT COST	COST	PRESEN WORT
	YEAR 5							
	MESSAGE	LONG SHLD JT R&S	LIN FT	100.00%	42,585	\$2.00	\$85,170	
		CNTR LINE JOINT R&S	LIN FT	100.00%	42,585	\$2.00	\$85,170	
		RNDM / THRM CRACK R&S	LIN FT	50.00%	31,229	\$2.00	\$62,458	
		PD PVMT PATCH M&F SURF	SQ YD	0.10%	68	\$90.83	\$6,176	
			PWFn =	0.8626	PW=	0.8626	X \$238,974	\$206,14
[	YEAR 10							
		LONG SHLD JT R&S		100.00%	42,585	\$2.00	\$85,170	
		CNTR LINE JOINT R&S		100.00%	42,585	\$2.00	\$85,170	
		RNDM / THRM CRACK R&S PD PVMT PATCH M&F SURF	LIN FT	50.00%	31,229	\$2.00	\$62,458	
		PDFVMI FAICH MAR SURF	SQ YD PWFn =	0.50%	342 PW =	\$90.83 0.7441	\$31,064 X \$263,862	\$196,33
Г	VEAD 45							
L	YEAR 15	MILL PVMT & SHLD 2.00"	SQ YD	100.00%	68,337	\$2.50	\$170,843	
		PD PVMT PATCH M&F ADD'L 2.00"	SQ YD	1.00%	683	\$90.83	\$62,037	
		HMA OVERLAY PVMT 2.00"	SQ YD	100.00%	68,337	\$14.78	\$1,010,021	
		HMA OVERLAY SHLD 2.00 "	SQ YD	100.00%	0	\$14.78	\$0	
			PWFn =	0.6419	PW=	0.6419	X \$1,242,901	\$797,77
ſ	YEAR 20							
		LONG SHLD JT R&S	LIN FT	100.00%	42,585	\$2.00	\$85,170	
		CNTR LINE JOINT R&S		100.00%	42,585	\$2.00	\$85,170	
		RNDM / THRM CRACK R&S	LIN FT	50.00%	31,229	\$2.00	\$62,458	
		PD PVMT PATCH M&F SURF	SQ YD	0.10%	68 PW =	\$90.83	\$6,176	6400.04
			PWFn =	0.5537	PVV-	0.5537	X \$238,974	\$132,31
	YEAR 25							
		LONG SHLD JT R&S		100.00%	42,585	\$2.00	\$85,170	
		CNTR LINE JOINT R&S		100.00%	42,585	\$2.00	\$85,170	
		RNDM / THRM CRACK R&S PD PVMT PATCH M&F SURF	LIN FT SQ YD	50.00%	31,229 342	\$2.00 \$90.83	\$62,458 \$31,064	
		TET VIVITATOTI IVICE CON	PWFn =	0.4776	PW =		X \$263,862	\$126,02
Г	VEAD 00	HMA_SD						
L	YEAR 30	NON-INTERSTATE MILL PVMT & SHLD 2.00"	SQ YD	100.00%	68,337	\$2.50	\$170,843	
		PD PVMT PATCH M&F ADD'L 2.00"	SQ YD	2.00%	1,367	\$90.83	\$124,165	
		PD SHLD PATCH M&F ADD'L 2.00"	SQ YD	1.00%	0	\$89.71	\$0	
		HMA OVERLAY PVMT 2.25"		100.00%	68,337	\$16.63	\$1,136,273	
		HMA OVERLAY SHLD 2.25 "	SQ YD	100.00%	0	\$16.63	\$0	
			PWFn =	0.4120	PW=	0.4120	X \$1,431,281	\$589,66
	YEAR 35							
		LONG SHLD JT R&S		100.00%	42,585	\$2.00	\$85,170	
		CNTR LINE JOINT R&S		100.00%	42,585	\$2.00	\$85,170	
		RNDM / THRM CRACK R&S	LIN FT	50.00%	31,229	\$2.00	\$62,458	
		PD PVMT PATCH M&F SURF	SQ YD PWFn =	0.10%	68 PW =	\$90.83 0.3554	\$6,176 X \$238,974	\$84,92
				0,0004		3,0004	7, \$250,074	ψ04,92
	YEAR 40		LIN ET	100.000	40.505	00.00	005.470	
		LONG SHLD JT R&S CNTR LINE JOINT R&S		100.00%	42,585	\$2.00	\$85,170 \$85,170	
		RNDM / THRM CRACK R&S	LIN FT	100.00%	42,585 31,229	\$2.00 \$2.00	\$85,170 \$62,458	
		PD PVMT PATCH M&F SURF	SQ YD	0.50%	342	\$90.83	\$31,064	
			PWFn =	0.3066	PW =	0,3066		\$80,88
								\$2,214,07
		ROUTINE MAINTENANCE ACTIVITY			10.75	0.00	\$0	


# JOINTED PLAIN CONCRETE PAVEMENT UNBONDED JOINTED PLAIN CONCRETE OVERLAY Figure 54-7.A

PRESE	0007		INUT COST	OHANITITY	0/		ITEM	MAINTENANCE COSTS:
WOR	COST		UNIT COST	QUANTITY	%		I I EIVI	MAINTENANCE COSTS.
	ALCO STATE OF THE	TAR						YEAR 10
	\$8,840	on the	\$130.00	68	0.10%	SQ YD	PAVEMENT PATCH CLASS B	
\$6,57	\$8,840	X	0.7441	PW=	0.7441	PWFn =		
								VEAD 45
	\$47.940		\$130.00	137	0.20%	SQ YD	PAVEMENT PATCH CLASS B	YEAR 15
\$11,43	\$17,810 \$17,810	X	0.6419	PW =	0.6419	PWFn =	FAVENIENT FATCH CLASS B	
Ψ11,40	Ψ17,010	^	0.0410		0.0110			
								YEAR 20
	\$177,710		\$130.00	1,367	2.00%	SQ YD	PAVEMENT PATCH CLASS B	
	\$0		\$110.00	0	0.50%	SQ YD	SHOULDER PATCH CLASS C	
	\$85,170		\$2.00	42,585	100.00%		LONGITUDINAL SHLD JT R&S	
	\$85,170		\$2.00	42,585	100.00%	LIN FT	CENTERLINE JT R&S	
\$192,70	\$348,050	Х	0.5537	PW=	0.5537	PWFn =		
								YEAR 25
	\$266,500	388	\$130.00	2,050	3.00%	SQ YD	PAVEMENT PATCH CLASS B	
	\$0		\$110.00	0	1.00%	SQ YD	SHOULDER PATCH CLASS C	
\$127,28	\$266,500	X	0.4776	PW=	0.4776	PWFn =		
							NON-INTERSTATE	YEAR 30
	\$355,290		\$130.00	2,733	4.00%	SQ YD	PAVEMENT PATCH CLASS B	
	\$0		\$110.00	0	1.50%	SQ YD	SHOULDER PATCH CLASS C	
	\$1,262,526		\$18.48	68,337	100.00%	SQ YD	HMA POLICY OVERLAY 2.5" (PVM	
	\$0		\$18.48	0	100.00%	SQ YD	HMA POLICY OVERLAY 2.5" (SHLI	
\$666,51	\$1,617,816	X	0.4120	PW=	0.4120	PWFn =		
							NON-INTERSTATE	YEAR 35
	\$85,170		\$2.00	42,585	100.00%	LIN FT	LONGITUDINAL SHLD JT R&S	
	\$85,170		\$2.00	42,585	100.00%		CENTERLINE JT R&S	
	\$56,780		\$2.00	28,390	50.00%	LIN FT	RANDOM CRACK R&S	
	\$31,786		\$2.00	15,893	40.00%	LIN FT	REFLECTIVE TRANSVERSE CRACK	
604.0	\$6,357	~	\$93.49	68	0.10%	SQ YD PWFn =	PD PVMT PATCH M&F HMA 2.50"	
\$94,27	\$265,263	X	0.3554	PW=	0.3554	PVVFII -		
							NON-INTERSTATE	YEAR 40
	\$44,460		\$130.00	342	0.50%	SQ YD	PAVEMENT PATCH CLASS B	
	\$85,170		\$2.00	42,585	100.00%		LONGITUDINAL SHLD JT R&S	
	\$85,170		\$2.00	42,585	100.00%		CENTERLINE JT R&S	
	\$47,678		\$2.00	23,839	60.00%	LIN FT	REFLECTIVE TRANSVERSE CRACK	
	\$56,780		\$2.00	28,390	50.00%	LIN FT	RANDOM CRACK R&S	
\$107,67	\$31,974 \$351,232	X	\$93.49 0.3066	342 PW =	0.50%	SQ YD PWFn =	PD PVMT PATCH M&F HMA 2.50"	
\$1,206,46	4331,232	^	0.0000		0.0000			
04.000.40	\$0	F 61	\$0.00	10.75			ROUTINE MAINTENANCE ACTIVITY	
\$1,206,46	YCLE COST	E-C)	NANCE LIFE	MAINT				45

LII L-C I CL	E COST ANALYSIS:	NEW DESIGN Calcul	ated / Revised :	2:49 PM 07/19/2012	
			JPCP	НМА	
CONSTRUCTION	INITIAL COST	PRESENT WORTH	\$3,641,812	\$3,881,675	
		ANNUAL COST PER MILE	\$55,248	\$58,887	
MAINTENANCE	LIFE-CYCLE COST	PRESENT WORTH	\$1,206,461	\$2,214,071	
		ANNUAL COST PER MILE	\$18,303	\$33,589	
TOTAL	LIFE-CYCLE COST	PRESENT WORTH	\$4,848,273	\$6,095,746	
		ANNUAL COST PER MILE	\$73,551	\$92,476	
LIFE-CYCL	E COST ANALYSIS:	FINAL SUMMARY			
LOWEST COST OPTI	ON =====	>	JPCP	\$73,551	
	DWEST TO HIGHEST):	TYPE / PERCENTAGE	НМА	\$92,476	25.7%

P:\Pavement Design Stuff\D-1\Des Plaines River Road from Touhy to Rand Road\[DP River Rd from Fargo to Rand\_Mechanistic Pavement Design.xlsm]LifeCycleCo

### Printed: 11/07/2013



	Full-De	pth HMA Pa	vement	JP	C Pavem	ent
	Use TF flexible =	5.97	en.	Use TF rigid =	8.26	
	PG Grade Lower Binder Lifts =	PG 64-22	(Fig. 53-4.R)	Edge Support =	Tied	Shoulder or C.&G.
Goto Map	HMA Mixture Temp. =	74.0	deg. F (Fig. 54-5.C)	Rigid Pavt Thick. =	9.75	in. (Fig. 54-4.E)
Des	sign HMA Mixture Modulus (E <sub>HMA</sub> ) =	720	ksi (Fig. 54-5.D)			
	Design HMA Strain ( $\epsilon_{HMA}$ ) =	72	(Fig. 54-5.E)	(	CRC Pave	ement
F	ull Depth HMA Design Thickness =	11.00	in. (Fig. 54-5.F)	Use TF rigid =	8.26	
Goto Map	imiting Strain Criterion Thickness =	14.50	in. (Fig. 54-5.I)	IBR value =	3	
	Use Full-Depth HMA Thickness =	11.00	inches	CRCP Thickness =	8.75	in. (Fig. 54-4.M)
				TF MUST E	3E > 60	FOR CRCP

RECONSTRUCTION ONLY (SUPPLEMENTAL) PAVEM	ENT DESIGN CALCULATIONS
HMA Overlay of Rubblized PCC	Unbonded Concrete Overlay
Use TF flexible = 5.97	Review 54-4.03 for limitations and
District = 3,4,5,6	special considerations.
HMA Overlay Design Thickness = 9.25 in. (Fig. 54-5.U)	JPCP Thickness = NA inches

## CONTACT BMPR FOR ASSISTANCE

DESIGN TABLES F	ROM BD	E MANUAL C	HAPTER	54 - PAV	EMENT	DESIGN		
Class I Roads		Class II Roads		С	lass III Roa	ds	Class IV	Roads
4 lanes or more Part of a future 4 lanes or more One-way Streets with ADT > 3500	2 lanes with ADT > 2000 2 Lanes One way Street with ADT <= 3500 (ADT 750 -2000)		00)	2 La (ADT <				
	Min. Str.	Design Traffic (Fig	54-2.C)			Class T	able for	
Facility Type	PV	SU	MÚ			One-Wa	y Streets	
Interstate or Supplemental Freeway	0	500	1500			ADT	Class	
Other Marked State Route	0	250	750			0 - 3500	II	
Unmarked State Route	No Min	No Min	No Min			>3501	1	
Class	Csu	Fig. 54-4.C) Cmu 696.42	Csu	ig. 54-5.B) Cmu		(not future	e 4 lane &	
	143.81		132.50	482.53			vay street)	
	135.78	567.21	112.06	385.44		ADT	Class	
III	129.58	562.47	109.14	384.35		0 - 749	IV	
IV	129.58	562.47	109.14	384.35		750 - 2000 >2000	III	
								I
	Design L	ane Distribution Fa	actors For Stru	ıctural Desigr		. 54-2.B)		
		Rural			Urban			
Number of Lanes	Р	S	М	Р	S	М		
1 Lane Ramp	100%	100%	100%	100%	100%	100%		
2 or 3	50%	50%	50%	50%	50%	50%		
4	32%	45%	45%	32%	45%	45%		
6 or more	20%	40%	40%	8%	37%	37%		

# LIFE-CYCLE COST ANALYSIS: NEW CONSTRUCTION / RECONSTRUCTION

# **FULL-DEPTH HMA PAVEMENT**

Standard Design

ROUTE SECTION COUNTY	FAU 271	10 - Des Plaines River Rd 1213 & 3222 R Cook	t C			
LOCATION		Fargo Ave to Rand Rd				
FACILITY TYPE		NON-INTERSTATE				
PROJECT LENGTH # OF CENTERLINES # OF LANES LANE WIDTH - AVERAGE SHOULDER WIDTH HMA HMA	Inside Outside	3 4 3 10.5	FT ==> CL LANES EP FT FT	2.69	Miles	
PAVEMENT THICKNESS (FLEXIE SHOULDER THICKNESS POLICY OVERLAY THICKNESS	BLE)	10.00 8.00 2.25	IN		IN MAX Standard	Design
FLEX PAVEMENT TRAFFIC FA	CTORS	MINIMUM		ACTUAL		USE
		3.56		3.55		3.56
						Read Me
HMA COST PER TON HMA SURFACE				UNIT PRICE		
HMA SURFACE HMA TOP BINDER HMA LOWER BINDER HMA BINDER (LEVELING) HMA SHOULDER				\$95.00 \$95.00 \$80.00 \$85.00 \$72.00	/ TON / TON / TON	
INITIAL COSTS ITEM	THICKNESS	100% QUANTITY	' UNIT	UNIT PRICE		COST
HMA PAVEMENT (FULL-DEPTH	) (10.00")	68337 68,337	SQ YD *	\$49.75	/ SQ YD	\$0
HMA SURFACE COURSE HMA TOP BINDER COURSE HMA LOWER BINDER COURSE	(2.00") (2.25") (5.75")	1,0060 68,337 1,0186 68,337 1,0424 68,337	SQ YD *	\$9.86	/ SQ YD / SQ YD / SQ YD	\$1,010,021 \$673,803 \$1,508,881
HMA SHOULDER	(8.00")	0	SQ YD	¢32.26	/ SQ YD	\$0
JRB & GUTTER	(8.00)		LIN FT		/LIN FT	\$0
UBBASE GRAN MATL TY C (TON MPROVED SUBGRADE:	Aggregate		TONS SQ YD	\$25.00 \$7.00	/TON /SQ YD	\$5,600 \$494,067
Reserved For User Supplied Item Reserved For User Supplied Item			SQ YD		/ SQ YD / SQ YD	\$0 \$0
AVEMENT REMOVAL HOULDER REMOVAL		66,243		\$0.00	/ SQ YD / SQ YD	\$0 \$0
Note: * Denotes User Supplied Qu		FLEXIBLE CONSTRUCTION				\$3,692,372 \$56,015
MAINTENANCE COSTS: TEM	THICKNESS			UNIT COST		,010
ROUTINE MAINTENANCE ACTIVIT		OF THE STATE			LANE-MILE	/ YEAR
HMA OVERLAY PVMT SURF	(2.00")	( HMA SURFACE MIX	2 00		/ SQ YD	
HMA OVERLAY PVMT	( 2.25" )		2.25	\$11.69	/ SQ YD	
IMA SURFACE MIX IMA BINDER MIX	(1.75") (0.50")	( HMA SURFACE MIX ( Leveling Binder Mix	the state of the s		/ SQ YD	
MA OVERLAY SHLD (Year MA OVERLAY SHLD		( HMA SHLD MIX	) 2 25	\$9.07	/SQ YD /SQ YD	
MILLING (2.00 IN)	(2.55)	( . mar of ico mix	2.00		/ SQ YD	
PARTIAL DEPTH PVMT PATCH PARTIAL DEPTH SHLD PATCH	(Mill & Fill Surf) (Mill & Fill Surf)				/ SQ YD / SQ YD	
PARTIAL DEPTH PVMT PATCH PARTIAL DEPTH SHLD PATCH	(Mill & Fill +2.00 ") (Mill & Fill +2.00 ")	( HMA L BINDER	2 00	\$79.52	/ SQ YD / SQ YD	
LONGITUDINAL SHOULDER JOIN					/ LIN FT	
CENTERLINE JOINT ROUT & SEA RANDOM / THERMAL CRACK RO	L	(100% Rehab = 110.00' / State	tion / Lane)	\$2.00	/ LIN FT / LIN FT	

PCC PAVEMENT JPCP

ROUTE FAU 2710 - Des Plaines River Rd SECTION 1213 & 3222 R COUNTY Cook LOCATION Fargo Ave to Rand Rd **FACILITY TYPE NON-INTERSTATE** PROJECT LENGTH 14195 FT ==> 2.69 Miles # OF CENTERLINES 3 CL # OF LANES 4 LANES # OF FDGES 3 EP LANE WIDTH - AVERAGE 10.5 FT SHOULDER WIDTH PCC Inside 0 FT PCC Outside 10 FT PAVEMENT THICKNESS (RIGID) JPCP 9.00 IN TIED SHLD SHOULDER THICKNESS 10.00 IN POLICY OVERLAY THICKNESS 2.50 IN RIGID PAVEMENT TRAFFIC FACTORS MINIMUM ACTUAL USE 5.02 5.02 4.66 Worksheet Construction Type is Reconstruction The Pavement Type is **JPCP INITIAL COSTS THICKNESS** 100% QUANTITY UNIT **UNIT PRICE** ITEM COST JPC PAVEMENT (9.00") 68,337 SQ YD \$43.21 / SQ YD \$2,952,842 PAVEMENT REINFORCEMENT 0 SQ YD \$22.00 / SQ YD \$0 STABILIZED SUBBASE (4.00'')73,341 SQ YD \$0.00 / SQ YD \$0 **PCC SHOULDERS** (10.00" to 10.00") \$40.00 / SQ YD 0 SQ YD \$0 **CURB & GUTTER** 0 LIN FT \$30.00 / LIN FT \$0 SUBBASE GRAN MATL TY C #DIV/0! **224 TONS** \$25.00 / TON \$5,600 IMPROVED SUBGRADE: 70.581 SQ YD \$7.00 / SQ YD \$494.067 Aggregate Reserved For User Supplied Item 0 \$0.00 \$0 Reserved For User Supplied Item 0 \$0.00 \$0 PAVEMENT REMOVAL \$0.00 / SQ YD 66,243 SQ YD \$0 SHOULDER REMOVAL 23,658 SQ YD \$0.00 / SQ YD \$0 RIGID CONSTRUCTION INITIAL COST Note: \* Denotes User Supplied Quantity \$3,452,509 RIGID CONSTRUCTION ANNUAL COST PER MILE \$52,376 **MAINTENANCE COSTS:** ITFM **THICKNESS** MATERIAL DEPTH **UNIT COST** ROUTINE MAINTENANCE ACTIVITY \$0.00 / LANE-MILE / YEAR HMA POLICY OVERLAY (2.50") HMA POLICY OVERLAY PVMT (2.50")\$12.88 / SQ YD HMA SURFACE MIX (1.75") HMA Surface Mix \$9.31 / SQ YD Leveling Binder Mix HMA BINDER MIX (0.75" \$3.57 / SQ YD HMA POLICY OVERLAY SHLD \$10.08 / SO YD (2.50")CLASS A PAVEMENT PATCHING \$195.00 / SQ YD CLASS B PAVEMENT PATCHING \$150.00 / SQ YD CLASS C SHOULDER PATCHING \$145.00 / SQ YD PARTIAL DEPTH PVMT PATCH (Mill & Fill HMA Surf) ( HMA SURFACE MIX ) \$79.31 / SQ YD PARTIAL DEPTH PVMT PATCH (Mill & Fill HMA 2.50") ( HMA SURFACE MIX ) \$83.30 / SQ YD LONGITUDINAL SHOULDER JOINT ROUT & SEAL \$2.00 / LIN FT CENTERLINE JOINT ROUT & SEAL \$2.00 / LIN FT REFLECTIVE TRANSVERSE CRACK ROUT & SEAL \$2.00 / LIN FT RANDOM CRACK ROUT & SEAL (100% Rehab = 100.00' / Station / Lane) \$2.00 / LIN FT

MAINTEI

# FULL-DEPTH HMA PAVEMENT HMA OVERLAY OF RUBBLIZED PCC PAVEMENT Figure 54-7.C STANDARD DESIGN

		STA	NDARD DES	IGN			
							PRESENT
MAINTENANCE COSTS:	ITEM		%	QUANTITY	UNIT COST	COST	WORTH
YEAR 5							
	LONG SHLD JT R&S		100.00%	42,585	\$2.00	\$85,170	
	CNTR LINE JOINT R&S	LINFT	100.00%	42,585	\$2.00	\$85,170	
	RNDM / THRM CRACK R&S	LIN FT	50.00%	31,229	\$2.00	\$62,458	
	PD PVMT PATCH M&F SURF	SQ YD	0.10%	68	\$80.64	\$5,484	
		PWFn =	0.8626	PW=	0.8626 >	\$238,282	\$205,544
YEAR 10							
	LONG SHLD JT R&S	LIN FT	100.00%	42,585	\$2.00	\$85,170	
	CNTR LINE JOINT R&S	LIN FT	100.00%	42,585	\$2.00	\$85,170	
	RNDM / THRM CRACK R&S	LIN FT	50.00%	31,229	\$2.00	\$62,458	
	PD PVMT PATCH M&F SURF	SQ YD	0.50%	342	\$80.64	\$27,579	
	( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	PWFn =	0.7441	PW=	0.7441 >		\$193,745
			0.7441		0.7441 /	Ψ200,577	\$193,743
YEAR 15							
, , , , , , , , , , , , , , , , , , , ,	MILL PVMT & SHLD 2.00"	SQ YD	100.00%	68,337	\$3.00	\$205,011	
	PD PVMT PATCH M&F ADD'L 2.00"	SQYD	1.00%	683	\$79.52	\$54,312	
	HMA OVERLAY PVMT 2.00"	SQYD	100.00%	68,337			
					\$10.64	\$727,106	
	HMA OVERLAY SHLD 2.00 "	SQ YD	100.00%	0	\$8.06	\$0	2000 454
		PWFn =	0.6419	PW=	0.6419 >	\$986,429	\$633,151
VEAD OR			Section 2018				
YEAR 20	LOUIS SUIT TORS		122 222				
	LONG SHLD JT R&S	LIN FT		42,585	\$2.00	\$85,170	
	CNTR LINE JOINT R&S	LIN FT	100.00%	42,585	\$2.00	\$85,170	
	RNDM / THRM CRACK R&S	LIN FT	50.00%	31,229	\$2.00	\$62,458	
	PD PVMT PATCH M&F SURF	SQ YD	0.10%	68	\$80.64	\$5,484	
		PWFn =	0.5537	PW=	0.5537	\$238,282	\$131,931
YEAR 25							
	LONG SHLD JT R&S	LIN FT	100.00%	42,585	\$2.00	\$85,170	
	CNTR LINE JOINT R&S	LIN FT	100.00%	42,585	\$2.00	\$85,170	
	RNDM / THRM CRACK R&S	LIN FT	50.00%	31,229	\$2.00	\$62,458	
	PD PVMT PATCH M&F SURF	SQ YD	0.50%	342	\$80.64	\$27,579	
		PWFn =	0.4776	PW=	0.4776		\$124,358
	HMA_SD						
YEAR 30	NON-INTERSTATE		No.				
	MILL PVMT & SHLD 2.00"	SQ YD	100.00%	68,337	\$3.00	\$205,011	
	PD PVMT PATCH M&F ADD'L 2.00"	SQ YD	2.00%	1,367	\$79.52	\$108,704	
	PD SHLD PATCH M&F ADD'L 2.00"	SQ YD	1.00%	0	\$78.06	\$0	
	HMA OVERLAY PVMT 2.25"	SQ YD	100.00%	68,337	\$11.69	\$798,860	
	HMA OVERLAY SHLD 2.25 "	SQYD	100.00%	00,337	\$9.07	\$798,880	
	HIMA OVERLAT SHLD 2.25						0450 000
		PWFn =	0.4120	PW=	0.4120 /	\$1,112,575	\$458,366
YEAR 35			Name and Address of the Owner, where the Owner, which is the Owner, where the Owner, which is the Owner, where the Owner, which is the Owner, whic				
TEAR 35	LONG SHID IT BES	LIN FT	100.000/	40 505	60.00	COF 470	
	LONG SHLD JT R&S		100.00%	42,585	\$2.00	\$85,170	
	CNTR LINE JOINT R&S	LIN FT	100.00%	42,585	\$2.00	\$85,170	
	RNDM / THRM CRACK R&S	LIN FT	50.00%	31,229	\$2.00	\$62,458	
	PD PVMT PATCH M&F SURF	SQ YD	0.10%	68	\$80.64	\$5,484	
		PWFn =	0.3554	PW =	0.3554 >	\$238,282	\$84,681
YEAR 40	LOUIS OUR DUT DAG						
	LONG SHLD JT R&S		100.00%	42,585	\$2.00	\$85,170	
	CNTR LINE JOINT R&S	LIN FT	100.00%	42,585	\$2.00	\$85,170	
	RNDM / THRM CRACK R&S	LIN FT	50.00%	31,229	\$2.00	\$62,458	
	PD PVMT PATCH M&F SURF	SQ YD	0.50%	342	\$80.64	\$27,579	
		PWFn =	0.3066	PW=	0.3066 >	\$260,377	\$79,820
							\$1,911,596
	ROUTINE MAINTENANCE ACTIVITY			10.75	0.00	\$0	\$0
				MAINT	ENANCE LIFE-	CYCLE COST	\$1,911,596
45	YEARS CRFn =	0.040785		MAINTENAN	CE ANNUAL CO	ST PER MILE	\$29,000

# JOINTED PLAIN CONCRETE PAVEMENT UNBONDED JOINTED PLAIN CONCRETE OVERLAY Figure 54-7.A

PRESE WOR	COST		JNIT COST	QUANTITY	%		ITEM	E COSTS:
							ASSESSMENT OF THE PROPERTY OF	YEAR 10
	\$10,200		\$150.00	68	0.10%	SQ YD	PAVEMENT PATCH CLASS B	
\$7,59	\$10,200	X	0.7441	PW=	0.7441	PWFn =		
								YEAR 15
	\$20,550	100	\$150.00	137	0.20%	SQ YD	PAVEMENT PATCH CLASS B	
\$13,19	\$20,550	X	0.6419	PW=	0.6419	PWFn =		
								YEAR 20
	\$205,050	4.23 X	\$150.00	1,367	2.00%	SQ YD	PAVEMENT PATCH CLASS B	
	\$0		\$145.00	0	0.50%	SQ YD	SHOULDER PATCH CLASS C	
	\$85,170		\$2.00	42,585	100.00%	LIN FT	LONGITUDINAL SHLD JT R&S	
	\$85,170		\$2.00	42,585	100.00%	LIN FT	CENTERLINE JT R&S	
\$207,84	\$375,390	X	0.5537	PW=	0.5537	PWFn =		
								YEAR 25
	\$307,500		\$150.00	2,050	3.00%	SQ YD	PAVEMENT PATCH CLASS B	
	\$0		\$145.00	0	1.00%	SQ YD	SHOULDER PATCH CLASS C	
\$146,86	\$307,500	X	0.4776	PW=	0.4776	PWFn =		
							NON-INTERSTATE	YEAR 30
	\$409,950		\$150.00	2,733	4.00%	SQ YD	PAVEMENT PATCH CLASS B	
	\$0		\$145.00	0	1.50%	SQ YD	SHOULDER PATCH CLASS C	
	\$880,181		\$12.88	68,337	100.00%	SQ YD	HMA POLICY OVERLAY 2.5" (PVM	
	\$0		\$10.08	0	100.00%	SQ YD	HMA POLICY OVERLAY 2.5" (SHLI	
\$531,51	\$1,290,131	X \$	0.4120	PW=	0.4120	PWFn =		
							NON-INTERSTATE	YEAR 35
	\$85,170		\$2.00	42,585	100.00%		LONGITUDINAL SHLD JT R&S	
	\$85,170		\$2.00	42,585	100.00%		CENTERLINE JT R&S	
	\$56,780		\$2.00	28,390	50.00%	LIN FT	RANDOM CRACK R&S	
	\$31,786		\$2.00	15,893	40.00%	LIN FT	REFLECTIVE TRANSVERSE CRACK	
\$94,02	\$5,664 \$264,570	X	\$83.30 0.3554	68 PW =	0.10%	SQ YD PWFn =	PD PVMT PATCH M&F HMA 2.50"	
							NON-INTERSTATE	YEAR 40
	\$51,300		\$150.00	342	0.50%	SQ YD	PAVEMENT PATCH CLASS B	127117 40
	\$85,170		\$2.00	42,585	100.00%		LONGITUDINAL SHLD JT R&S	
	\$85,170		\$2.00	42,585	100.00%		CENTERLINE JT R&S	
	\$47,678		\$2.00	23,839	60.00%	LINFT	REFLECTIVE TRANSVERSE CRACK	
	\$56,780		\$2.00	28,390	50.00%	LIN FT	RANDOM CRACK R&S	
	\$28,489		\$83.30	342	0.50%	SQ YD	PD PVMT PATCH M&F HMA 2.50"	
\$108,70 \$1,109,73	\$354,587	X	0.3066	PW=	0.3066	PWFn =		
	\$0	- 01	\$0.00	10.75		ARIES SERVICE	ROUTINE MAINTENANCE ACTIVITY	
\$1,109,73 \$16,83		<b>双和标题</b>	NANCE LIFE E ANNUAL C			0.040785	YEARS CRFn =	[WE

			IDOD	(1844	
CONSTRUCTION	INITIAL COST	PRESENT WORTH	JPCP \$3,452,509	HMA \$3,692,372	
CONCINCOTION	INTIAL COOT	ANNUAL COST PER MILE	\$52,376	\$56,015	
MAINTENANCE	LIFE-CYCLE COST	PRESENT WORTH	\$1,109,730	\$1,911,596	
MAINTENANCE	Ell E-010EE 0001	ANNUAL COST PER MILE	\$16,835	\$29,000	
TOTAL	LIFE-CYCLE COST	PRESENT WORTH	\$4,562,239	\$5,603,968	
TOTAL	LII L-OTOLL GOOT	I ILLOCIATI WORLD	Ψ <del>4</del> ,002,200	Ψ0,000,300	
		ANNUAL COST PER MILE	\$69,212	\$85,015	
LIFE-CYCL	E COST ANALYSI	S: FINAL SUMMARY	\$69,212	\$85,015	
LIFE-CYCL			\$69,212 JPCP	\$85,015 \$69,212	
LOWEST COST OPT		S: FINAL SUMMARY			22.8%